

**ALS TECHNICHEM (M) SDN BHD**

(117964-P)

9, Jalan Astaka U8/84, Seksyen U8, Bukit Jelutong, 40150 Shah Alam, Selangor.  
Tel: (603) 7845 8257 Fax: (603) 7845 8258 E-mail: info@alsmalaysia.com

ALS Technichem

MS ISO/IEC 17026  
TESTING  
SAMM NO: 147**CERTIFICATE OF ANALYSIS**

Page 1 of 1

DATE : 28 February 2009

OUR REF : ATHQ/09717MB/2009

COMPANY : Champ Fungi Sdn. Bhd.  
Lot 9173, Jalan Telok Gong,  
Telok Gong,  
42000 Port Klang, Selangor.  
Tel: 03 - 3134 2203 Fax: 03 - 3134 2208  
(Attn.: Ms. Erniyanti Buyong)

DATE SAMPLE RECEIVED : 21 February 2009

SAMPLE DESCRIPTION : One food sample

SAMPLE MARKING : Swiss Brown, Day 7 at  $\leq 5^{\circ}\text{C}$

**ANALYSIS RESULTS**

(As per sample)

Test Parameters	Units	Results	Method References
Total Plate Count	cfu/g	$5.7 \times 10^5$	AOAC 990.12
Yeast & Mould Count	cfu/g	$2.5 \times 10^3$	AOAC 997.02
Total Coliform Count	cfu/g	ND(<10)	AOAC 991.14
Total <i>E.coli</i> Count	cfu/g	ND(<10)	AOAC 991.14
<i>Salmonella sp.</i>	Absent / Present in 25g	Absent	FDA Chapter 5
<i>Staphylococcus aureus</i>	cfu/g	ND(<10)	FDA Chap 12

ND : Not Detected

AOAC : Official Methods of Analysis of AOAC International 16<sup>th</sup> Edition, 1995.FDA : Bacteriological Analytical Manual, 8<sup>th</sup> Edition 1995 (Food and Drug Administration)

Azlina Basir  
B.Tech (Hons), Food Technology  
Senior Microbiologist

**BRANCH & COLLECTION CENTRE:**

(JB): No.19, Jalan Kencana Mas 1/1,  
Tebrau Business Park, Taman Daya,  
81100 Johor Bahru, Johor.  
Tel : (607) - 354 9604  
Fax: (607) - 354 9554

Laboratory Testing &amp; Industrial Consultancy

467267

• This report may not be used for advertising purposes •  
• This report shall not be reproduced except in full without the written approval of the laboratory •

**ALS TECHNICHEM (M) SDN BHD**

(117964-P)

9, Jalan Astaka U8/84, Seksyen U8, Bukit Jelutong, 40150 Shah Alam, Selangor.

Tel: (603) 7845 8257 Fax: (603) 7845 8258 E-mail: info@alsmalaysia.com



ALS Technichem

MS ISO/IEC 17026  
TESTING  
SAMM No. 7147**CERTIFICATE OF ANALYSIS**

DATE : 2 March 2009

Page 1 of 1

OUR REF : ATHQ/10141MB/2009

COMPANY : Champ Fungi Sdn. Bhd.

Lot 9173, Jalan Telok Gong,

Telok Gong,

42000 Port Klang, Selangor.

Tel: 03 - 3134 2203

Fax: 03 - 3134 2208

(Attn.: Ms. Ernyanti Buyong)

DATE SAMPLE RECEIVED : 24 February 2009

SAMPLE DESCRIPTION : One food sample

SAMPLE MARKING : Swiss Brown, Day 10 at  $\leq 5^{\circ}\text{C}$ **ANALYSIS RESULTS**

(As per sample)

Test Parameters	Units	Results	Method References
Total Plate Count	cfu/g	$1.8 \times 10^7$	AOAC 990.12
Yeast & Mould Count	cfu/g	$1.6 \times 10^4$	AOAC 997.02
Total Coliform Count	cfu/g	ND(<10)	AOAC 991.14
Total <i>E.coli</i> Count	cfu/g	ND(<10)	AOAC 991.14
<i>Salmonella sp.</i>	Absent / Present in 25g	Absent	FDA Chapter 5
<i>Staphylococcus aureus</i>	cfu/g	ND(<10)	FDA Chap 12

ND : Not Detected

AOAC : Official Methods of Analysis of AOAC International 16<sup>th</sup> Edition, 1995.FDA : Bacteriological Analytical Manual, 6<sup>th</sup> Edition 1995 (Food and Drug Administration)

Azlina Basir  
B.Tech (Hons), Food Technology  
Senior Microbiologist

**BRANCH & COLLECTION CENTRE:**

(JB): No.19, Jalan Kencana Mee 1/1,  
Tebrau Business Park, Taman Daya,  
81100 Johor Bahru, Johor.  
Tel : (607) - 354 9604  
Fax: (607) - 354 9554

Laboratory Testing &amp; Industrial Consultancy

467427